

ACTIVE INGREDIENT:	BY WT.
Sulfur	0.40%
OTHER INGREDIENTS:	99.60%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN
(See back panel for additional Precautionary Statements)
MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS
INSTRUCCIONES EN ESPAÑOL AL REVERSO

LBL5450F-2 0908

NET CONTENTS 32 FL. OZ.



Garden Fungicide[II]

Always Shake Well Before Using!

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

What It Is: Garden Fungicide[II] for Flowers, Fruit & Vegetables is specially formulated with sulfur which inhibits the attack of fungal diseases by creating an environment which is not optimal for disease growth.

What It Controls: Powdery mildew, black spot, and rust.

Where To Use It: Roses, Flowers, Foliage Plants, Ornamentals, Beans, Peas and Strawberries.

How To Use It: Spray at first sign of infection. Spray plants thoroughly to wet upper and lower surfaces of foliage. **Roses, Flowers, Foliage Plants & Ornamentals:** Apply at first sign of disease infestation. Spray at 7–10 day intervals, following rain, or as needed to control powdery mildew, black spot and rust. Be sure to treat new growth and buds. **Beans & Peas:** Apply at first sign of disease infestation. Spray at 7 day intervals, following rain, or as needed to control powdery mildew. CAN BE USED UP TO THE DAY BEFORE HARVEST. **Strawberries:** Apply at first sign of disease infestation. Repeat at 3 week intervals to control powdery mildew. DO NOT USE on strawberry fruit that will be used for canning. CAN BE USED UP TO THE DAY BEFORE HARVEST.

Use Cautions: Some plants are susceptible to injury from sulfur under certain climatic conditions.

Do Not Use On: Boston fern, spinach, apricots, filberts, walnuts and viburnum. Do not apply when temperature exceeds 85°F or in full sun. Do not apply for at least 4 weeks following application of oil spray. Avoid contact with plants until spray has dried.

STORAGE AND DISPOSAL:

STORAGE: Store only in original container in a cool, dry area inaccessible to children and pets. Protect from freezing and heat. Keep container tightly closed to prevent evaportaion. **DISPOSAL: If Empty: Non-refillable container.** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals: Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS:

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Distributed By:
Safer®, Inc. (A wholly-owned subsidiary of Woodstream Corporation)

woodstream

69 North Locust Street,
Lititz, PA 17543
1-800-800-1819 • 717-626-2125

EPA Reg. No. 59913-11
EPA Est. 63416-MN-001
LBL5450B-2 0908

0 24654 55450 4

 Model No. 5450 Made in USA

INSTRUCCIONES EN ESPAÑOL AL REVERSO



ALMACENAMIENTO Y ELMINACIÓN:
ALMACENAJE: Guarde únicamente en el envase original en un área fresca y seca, fuera del alcance de niños y mascotas. Proteja contra el congelamiento y el calor. Mantenga el envase cerrado herméticamente para evitar la evaporación. ELIMINACIÓN: Si el Envase está Vacío: No lo reutilice. Colóquelo en la basura o de ser posible, entréguelo para reciclaje. Si el Envase Está Vacío: Recipiente de un solo uso. No vuelva a usar ó llenar este recipente.

DECLARACIONES PREVENTIVAS:
Riesgo para Humanos y Animales Domésticos: Evite el contracto con la piel, los ojos o la ropa. Lávese bien con agua y jabón después de manipular.

RIESGO PARA EL MEDICO ABIENTE:
No apliqué directamente en el agua. No contamine el agua limpiando los equipos o eliminando los residuos.


Nota: El vendedor garantiza que este producto cumple con las especificaciones expresadas en esta etiqueta. En la medida en que lo permita la ley aplicable, el vendedor no otorga otras garantías, y desconoce otras garantías, expresas o implícitas, incluyendo pero sin limitarse a las garantías de comerciabilidad o adecuación para el fin para el cual ha sido concebido. En la medida en que lo permita la ley aplicable, la responsabilidad civil u obligación por parte del vendedor, así como la falla o insuficiencia de lo contemplado en la etiqueta estará limitada al monto del precio de compra. En la medida en que lo permita la ley aplicable, el vendedor no tendrá responsabilidad por daños consecuenciales.

Distribuido por:
Safer®, Inc. (una subsidiaria totalmente propiedad de Woodstream Corporation)

woodstream

69 North Locust Street,
Lititz, PA 17543

1-800-800-1819 • 717-626-2125
EPA Reg. No. 59913-11
EPA Est. 63416-MN-01



Modelo No. 5450 Hecho en EE.UU

LBL5450B-2 0908



FUNGICIDA
PARA JARDÍN

Agite Bien Antes De Usar

Indicaciones Para El Uso:
El uso de este prducto de modo inconsecuente con las instrucciones de la etiqueta constituye una violación a las leyes federales.

Qué Es: Este producto fungicida está especialmente formulado con azufre, el cual inhibe el ataque de enfermedades micóticas al crear un ambiente que no es óptimo para el crecimiento de la enfermedad.

Lo Que Controla: Oídio, manchas negras, manchas en las hojas y roya.

Dónde Utilizar: Rosas, flores, árboles de sombra, plantas de follaje, ornamentales, frijoles, arvejas.

Modo De Empleo: Rocíe a la primera señal de infección. Rocíe las plantas completamente para mojar el follaje por encima y por debajo. Rosas, Flores, Plantas De Follaje Y Ornamentales: Aplique al primer signo de infestación de la enfermedad. Rocíe a intervalos de 7 a 10 días, después de la lluvia o según sea necesario para controlar el oídio, las manchas en las hojas, manchas negras y roya. Recuerde tratar los nuevos crecimientos y las yemas. Frijoles y Guisantes: Aplique al primer signo de infestación de la enfermedad. Rocíe a intervalos de 7 días, después de la lluvia o según sea necesario para controlar el oídio. Puede utilizarse hasta el día de la cosecha. Fresas: Aplique al primer signo de infestación de la enfermedad. Repita a intervalos de 3 semanas para controlar el oídio. No aplique en las fresas que serán utilizadas para enlatar. Puede utilizarse hasta el día anterior a la cosecha.

Tome Precauciones: Algunas plantas son susceptibles a daños por causa del azufre bajo ciertas condiciones climáticas.

No utilice en el helecho de espada, espinaca, albaricoques (chabacano), avellanos, nueces y viburno. No aplique cuando la temperatura exceda 85°F (29°C) o a pleno sol. No aplique en el lapso de las 4 semanas siguientes a la aplicación de rocío aceitoso. Evite el contacto con las plantas hasta que el rocío haya secado.